



CHEAT SHEET: COMPUTATIONAL MODELS (20604)

<https://github.com/adielbm/20604>

	REG	REG	CFL	DEC.	REC.	P	NP	NPC
$L_1 \cup L_2$	no	✓	✓	✓	✓	✓	✓	no
$L_1 \cap L_2$	no	✓	no	✓	✓	✓	✓	no
\bar{L}	✓	✓	no	✓	no	✓	?	?
$L_1 \cdot L_2$	no	✓	✓	✓	✓	✓	✓	no
L^*	no	✓	✓	✓	✓	✓	✓	no
L^R	✓	✓	✓	✓	✓	✓	✓	
$L_1 \setminus L_2$	no	✓	no	✓	no	✓	?	
$L \cap R$	no	✓	✓	✓	✓	✓	✓	



N	δ	a	b	ε
1	3	{}		2
A	2	1, 2	{}	
3	2	2, 3		
A, 1, 2	1, 2	3		
A, 1, 3	2, 3			
A, 2, 3	1, 2			
A, 1, 2, 3	1, 2, 3			

$NFA \rightarrow DFA$

Regular Expressions: Examples

- $\{a^nwb^n : w \in \Sigma^*\} \equiv a(a \cup b)^*b$
- $\{w : \#_w(0) \geq 2 \vee \#_w(1) \leq 1\} \equiv (\Sigma^*0\Sigma^*0\Sigma^*) \cup (0^*(\varepsilon \cup 1)0^*)$
- $\{w : |w| \bmod n = m\} \equiv (a \cup b)^m((a \cup b)^n)^*$
- $\{w : \#_b(w) \bmod n = m\} \equiv (a^*ba^*)^m \cdot ((a^*ba^*)^n)^*$
- $\{w : |w| \text{ is odd}\} \equiv (a \cup b)^*((a \cup b)(a \cup b)^*)^*$
- $\{w : \#_a(w) \text{ is odd}\} \equiv b^*a(ab^*a \cup b)^*$
- $\{w : \#_{ab}(w) = \#_{ba}(w)\} \equiv \varepsilon \cup a \cup b \cup a\Sigma^*a \cup b\Sigma^*b$
- $\{a^m b^n \mid m + n \text{ is odd}\} \equiv a(aa)^*(bb)^* \cup (aa)^*b(bb)^*$
- $\{aw : aba \not\subseteq w\} \equiv a(a \cup bb \cup bbb)^*(b \cup \varepsilon)$
- $\{w : bb \not\subseteq w\} \equiv (a \cup ba)^*(\varepsilon \cup b)$

Pumping lemma for regular languages: $A \in \text{REG} \implies \exists p : \forall s \in A, |s| \geq p, s = xyz, \text{(i) } \forall i \geq 0, xy^i z \in A, \text{(ii) } |y| > 0 \text{ and (iii) } |xy| \leq p.$

(the following are non-regular but CFL)

- $\{w = w^R\}; s = 0^p 1 0^p = xyz, \text{ but } xy^2z = 0^{p+|y|} 1 0^p \notin L.$
- $\{a^n b^n\}; s = a^p b^p = xyz, xy^2z = a^{p+|y|} b^p \notin L.$
- $\{w : \#_a(w) > \#_b(w)\}; s = a^p b^{p+1}, |s| = 2p+1 \geq p, xy^2z = a^{p+|y|} b^{p+1} \notin L.$

- $\{w : \#_a(w) = \#_b(w)\}; s = a^p b^p = xyz \text{ but } xy^2z = a^{p+|y|} b^p \notin L.$
- $\{w : \#_w(a) \neq \#_w(b)\}; \text{(pf. by 'complement-closure'), } \bar{L} = \{w : \#_w(a) = \#_w(b)\}$
- $\{a^i b^j c^k : i < j \vee i > k\}; s = a^p b^{p+1} c^{2p} = xyz, \text{ but } xy^2z = a^{p+|y|} b^{p+1} c^{2p}, p + |y| \geq p+1, p + |y| \leq 2p.$
- (the following are both non-CFL and non-regular)

- $\{w = a^{2^k}\}; k = \lfloor \log_2 |w| \rfloor, s = a^{2^k} = xyz.$
- $2^k = |xyz| < |xy^2z| \leq |xyz| + |y| \leq 2^k + p < 2^{k+1}.$
- $\{a^p : p \text{ is prime}\}; s = a^t = xyz \text{ for prime } t \geq p, r := |y| > 0$
- $\{www : w \in \Sigma^*\}; s = a^p b a^p b a^p = xyz = a^{|x|+|y|+m} b a^p b a^p b \notin L, m \geq 0, \text{ but } xy^2z = a^{|x|+2|y|+m} b a^p b a^p b \notin L.$
- $\{a^{2n} b^{3n} a^n\}; s = a^{2p} b^{3p} a^p = xyz = a^{|x|+|y|+m+p} b^{3p} a^p, m \geq 0, \text{ but } xy^2z = a^{2p+|y|} b^{3p} a^p \notin L.$

(PDA) $M = (Q, \Sigma, \Gamma, \delta, q_0 \in Q, F \subseteq Q), \delta : Q \times \Sigma \times \Gamma \rightarrow \mathcal{P}(Q \times \Gamma), L \in \text{CFL} \iff \exists G_{\text{CFG}} : L = L(G) \iff \exists P_{\text{PDA}} : L = L(P)$

- (CFG ~ CNF) (1.) Add a new start variable S_0 and a rule $S_0 \rightarrow S$. (2.) Remove ε -rules of the form $A \rightarrow \varepsilon$ (except for $S_0 \rightarrow \varepsilon$). and remove A 's occurrences on the RH of a rule (e.g.: $R \rightarrow uAvAw$ becomes $R \rightarrow uAvAw \mid uAvw \mid uvAw \mid uwv$. where $u, v, w \in (V \cup \Sigma)^*$). (3.) Remove unit rules $A \rightarrow B$ then whenever $B \rightarrow u$ appears, add $A \rightarrow u$, unless this was a unit rule previously removed. ($u \in (V \cup \Sigma)^*$). (4.) Replace each rule $A \rightarrow u_1 u_2 \dots u_k$ where $k \geq 3$ and $u_i \in (V \cup \Sigma)$, with the rules $A \rightarrow u_1 A_1, A_1 \rightarrow u_2 A_2, \dots,$

- $A_{k-2} \rightarrow u_{k-1} u_k$, where A_i are new variables. Replace terminals u_i with $U_i \rightarrow u_i$.
- If $G \in \text{CNF}$, and $w \in L(G)$, then $|w| \leq 2^{|h|} - 1$, where h is the height of the parse tree for w .
- $\forall L \in \text{CFL}, \exists G \in \text{CNF} : L = L(G).$
- (derivation) $S \Rightarrow u_1 \Rightarrow u_2 \Rightarrow \dots \Rightarrow u_n = w$, where each u_i is in $(V \cup \Sigma)^*$. (in this case, G generates w (or S derives w), $S \stackrel{*}{\Rightarrow} w$)
- M accepts $w \in \Sigma^*$ if there is a seq. $r_0, r_1, \dots, r_m \in Q$ and $s_0, s_1, \dots, s_m \in \Gamma^*$ s.t.: (1.) $r_0 = q_0$ and $s_0 = \varepsilon$; (2.)

- For $i = 0, 1, \dots, m-1$, we have $(r_i, b) \in \delta(r_i, w_{i+1}, a)$, where $s_i = at$ and $s_{i+1} = bt$ for some $a, b \in \Gamma_\varepsilon$ and $t \in \Gamma^*$; (3.) $r_m \in F$.
- (PDA transition) " $a, b \rightarrow c$ ": reads a from the input (or read nothing if $a = \varepsilon$). pops b from the stack (or pops nothing if $b = \varepsilon$). pushes c onto the stack (or pushes nothing if $c = \varepsilon$)
- $R \in \text{REG} \wedge C \in \text{CFL} \implies R \cap C \in \text{CFL}$. (pf. construct PDA $P' = P_C \times D_R$)

(CFG) $G = (V, \Sigma, R, S), A \rightarrow w, (A \in V, w \in (V \cup \Sigma)^*); (\text{CNF}) A \rightarrow BC, A \rightarrow a, S \rightarrow \varepsilon, (A, B, C \in V, a \in \Sigma, B, C \neq S).$

the following are CFL but non-regular:

- $\{w : w = w^R\}; S \rightarrow aSa \mid bSb \mid a \mid b \mid \varepsilon$
- $\{w : w \neq w^R\}; S \rightarrow aSa \mid bSb \mid aXb \mid bXa; X \rightarrow aX \mid bX \mid \varepsilon$
- $\{ww^R\} = \{w : w = w^R \wedge |w| \text{ is even}\}; S \rightarrow aSa \mid bSb \mid \varepsilon$
- $\{wa^n w^R\}; S \rightarrow aSa \mid bSb \mid M; M \rightarrow aM \mid \varepsilon$
- $\{w\#x : w^R \subseteq x\}; S \rightarrow AX; A \rightarrow 0A0 \mid 1A1 \mid \#X; X \rightarrow 0X \mid 1X \mid \varepsilon$
- $\{w : \#_w(a) > \#_w(b)\}; S \rightarrow JaJ; J \rightarrow JJ \mid aJb \mid bJa \mid a \mid \varepsilon$
- $\{w : \#_w(a) \geq \#_w(b)\}; S \rightarrow SS \mid aSb \mid bSa \mid a \mid \varepsilon$
- $\{w : \#_w(a) = \#_w(b)\}; S \rightarrow SS \mid aSb \mid bSa \mid \varepsilon$

- $\{w : \#_w(a) = 2 \cdot \#_w(b)\}; S \rightarrow SS \mid S_1 b S_1 \mid b S a a S b \mid a a S b \mid S_1 \rightarrow a S \mid S S_1$
- $\{w : \#_w(a) \neq \#_w(b)\} = \{\#_w(a) > \#_w(b)\} \cup \{\#_w(a) < \#_w(b)\}$
- $\{a^n b^n\}; S \rightarrow X b X a X \mid A \mid B; A \rightarrow aAb \mid Ab \mid b; B \rightarrow aBb \mid bA \mid a; X \rightarrow aX \mid bX \mid \varepsilon$
- $\{a^n b^m \mid n \neq m\}; S \rightarrow aSb \mid A \mid B; A \rightarrow aAa \mid B \rightarrow bBb$
- $\{x \mid x \neq ww\}; S \rightarrow A \mid B \mid AB \mid BA; A \rightarrow CAC \mid 0; B \rightarrow CBC \mid 1; C \rightarrow 0 \mid 1$
- $\{a^n b^m \mid m \leq n \leq 3m\}; S \rightarrow aSb \mid aaSb \mid aaaSb \mid \varepsilon; \{a^n b^n\}; S \rightarrow aSb \mid \varepsilon$
- $\{a^n b^m \mid n > m\}; S \rightarrow aSb \mid aS \mid a$
- $\{a^n b^m \mid n \geq m \geq 0\}; S \rightarrow aSb \mid aS \mid a \mid \varepsilon$

- $\{a^i b^j c^k \mid i + j = k\}; S \rightarrow aSc \mid X \mid X \rightarrow bXc \mid \varepsilon$
 - $\{a^i b^j c^k \mid i \leq j \vee j \leq k\}; S \rightarrow S_1 C \mid AS_2; A \rightarrow Aa \mid \varepsilon; S_1 \rightarrow aS_1 b \mid S_1 b \mid \varepsilon; S_2 \rightarrow bS_2 c \mid S_2 c \mid \varepsilon; C \rightarrow Cc \mid \varepsilon$
 - $\{a^i b^j c^k \mid i = j\}; S \rightarrow AX_1 \mid X_2 C; X_1 \rightarrow bX_1 c \mid \varepsilon; X_2 \rightarrow aX_2 b \mid \varepsilon; A \rightarrow aA \mid \varepsilon; C \rightarrow Cc \mid \varepsilon$
 - $\{xy : |x| = |y|, x \neq y\}; S \rightarrow AB \mid BA; A \rightarrow a \mid aAa \mid aAb \mid bAa \mid bAb; B \rightarrow b \mid aBa \mid aBb \mid bBa \mid bBb$
- the following are both CFL and regular:
- $\{w : \#_w(a) \geq 3\}; S \rightarrow X a X a X a X; X \rightarrow aX \mid bX \mid \varepsilon$
 - $\{w : |w| \text{ is odd}\}; S \rightarrow aaS \mid abS \mid bbS \mid baS \mid a \mid b$
 - $\{w : |w| \text{ is even}\}; S \rightarrow aaS \mid abS \mid bbS \mid baS \mid \varepsilon$
 - $\emptyset; S \rightarrow S$

Pumping lemma for context-free languages: $L \in \text{CFL} \implies \exists p : \forall s \in L, |s| \geq p, s = uvxyz, \text{(i) } \forall i \geq 0, uv^i xy^i z \in L, \text{(ii) } |vxy| \leq p, \text{ and (iii) } |vy| > 0.$

- $\{w = a^n b^n c^n\}; s = a^p b^p c^p = uvxyz. vxy \text{ can't contain all of } a, b, c \text{ thus } uv^2xy^2z \text{ must pump one of them less than the others.}$

- $\{ww : w \in \{a, b\}^*\};$
- (more example of not CFL)
- $\{a^i b^j c^k \mid 0 \leq i \leq j \leq k\}, \{a^n b^n c^n \mid n \in \mathbb{N}\}, \{ww \mid w \in \{a, b\}^*\}, \{a^n \mid n \geq 0\}, \{a^p \mid p \text{ is prime}\},$

- $L = \{ww^R w : w \in \{a, b\}^*\}$
- $\{w \mid \#_w(a) = \#_w(b) = \#_w(c)\}: \text{(pf. since Regular} \cap \text{CFL} \in \text{CFL, but } \{a^* b^* c^*\} \cap L = \{a^n b^n c^n\} \notin \text{CFL}\}$

$L \in \text{Turing-Decidable} \iff (L \in \text{Turing-Recognizable and } \bar{L} \in \text{Turing-Recognizable}) \iff \exists M_{\text{TM}} \text{ decides } L.$

- (TM) $M = (Q, \Sigma \subseteq \Gamma, \Gamma_{\text{tape}}, \delta, q_0, q_{\text{fin}}, q_{\text{err}})$, where $\sqcup \in \Gamma$, $\sqcup \notin \Sigma, q_{\text{err}} \neq q_0, \delta : Q \times \Gamma \rightarrow Q \times \Gamma \times \{L, R\}$
- (Turing-Recognizable (TR)) **A** if $w \in L$, **not L** if $w \notin L$; **co-recognizable** if \bar{A} is recognizable.
- $L \in \text{TR} \iff L \leq_m A_{\text{TM}}$.
- Every inf. recognizable lang. has an inf. dec. subset.
- (Turing-Decidable (TD)) **A** if $w \in L$, **not L** if $w \notin L$.
- $L \in \text{TD} \iff L^R \in \text{TD}$.

- (decider) TM that halts on all inputs.
- (Rice) Let P be a lang. of TM descriptions, s.t. (i) P is nontrivial (not empty and not all TM desc.) and (ii) for each two TM M_1 and M_2 , we have $L(M_1) = L(M_2) \implies (\langle M_1 \rangle \in P \iff \langle M_2 \rangle \in P)$. Then P is undecidable. (e.g. $\text{INFINITE}_{\text{TM}}$, ALL_{TM} , E_{TM} , $\{\langle M_{\text{TM}} \rangle : 1 \in L(M)\}$)
- {all TMs} is count.; Σ^* is count. (finite Σ); {all lang.} is uncount.; {all infinite bin. seq.} is uncount.

- $f : \Sigma^* \rightarrow \Sigma^*$ is computable if $\exists M_{\text{TM}} : \forall w \in \Sigma^*, M$ halts on w and outputs $f(w)$ on its tape.
- If $A \leq_m B$ and $B \in \text{TD}$, then $A \in \text{TD}$.
- If $A \leq_m B$ and $A \notin \text{TD}$, then $B \notin \text{TD}$.
- If $A \leq_m B$ and $B \in \text{TR}$, then $A \in \text{TR}$.
- If $A \leq_m B$ and $A \notin \text{TR}$, then $B \notin \text{TR}$.
- (transitivity) If $A \leq_m B$ and $B \leq_m C$, then $A \leq_m C$.
- $A \leq_m B \iff \bar{A} \leq_m \bar{B}$ (esp. $A \leq_m \bar{A} \iff \bar{A} \leq_m A$)
- If $A \leq_m \bar{A}$ and $A \in \text{TR}$, then $A \in \text{TD}$

- (**unrecognizable**) $\overline{A_{\text{TM}}}, \overline{EQ_{\text{TM}}}, EQ_{\text{CFG}}, \overline{HALT_{\text{TM}}}, REG_{\text{TM}}, E_{\text{TM}}, EQ_{\text{TM}}, ALL_{\text{CFG}}, EQ_{\text{CFG}}$
- (**recognizable but undecidable**) $A_{\text{TM}}, HALT_{\text{TM}}, \overline{EQ_{\text{CFG}}}, \overline{E_{\text{TM}}}, \{\langle M, k \rangle \mid \exists x (M(x) \text{ halts in } \geq k \text{ steps})\}$
- (**decidable**) $A_{\text{DFA}}, A_{\text{NFA}}, A_{\text{REX}}, E_{\text{DFA}}, EQ_{\text{DFA}}, A_{\text{CFG}}, E_{\text{CFG}}, A_{\text{LBA}}, ALL_{\text{DFA}}, A_{\text{CFG}} = \{\langle G \rangle \mid \varepsilon \in L(G)\}$

Examples of Recognizers:

- EQ_{CFG} : "On $\langle G_1, G_2 \rangle$: for each $w \in \Sigma^*$ (lexico.): Test (by A_{CFG}) whether $w \in L(G_1)$ and $w \notin L(G_2)$ (vice versa), if so $\text{A}; \text{O/W}$, continue"

Examples of Deciders:

- INFINITE_{DFA}: "On n -state DFA $\langle A \rangle$: const. DFA B s.t. $L(B) = \Sigma^{\geq n}$; const. DFA C s.t. $L(C) = L(A) \cap L(B)$; if $L(C) \neq \emptyset$ (by E_{DFA}) $\text{A}; \text{O/W}, \boxed{\mathbb{R}}$ "
- $\{\langle D \rangle \mid \nexists w \in L(D) : \#_1(w) \text{ is odd}\}$: "On $\langle D \rangle$: const. DFA A s.t. $L(A) = \{w \mid \#_1(w) \text{ is odd}\}$; const. DFA B s.t. $L(B) = L(D) \cap L(A)$; if $L(B) = \emptyset$ (E_{DFA}) $\text{A}; \text{O/W}, \boxed{\mathbb{R}}$ "
- $\{\langle R, S \rangle \mid R, S \text{ are regex}, L(R) \subseteq L(S)\}$: "On $\langle R, S \rangle$: const. DFA D s.t. $L(D) = L(R) \cap \overline{L(S)}$; if $L(D) = \emptyset$ (by E_{DFA}) $\text{A}; \text{O/W}, \boxed{\mathbb{R}}$ "
- $\{\langle D_{\text{DFA}}, R_{\text{REX}} \rangle \mid L(D) = L(R)\}$: "On $\langle D, R \rangle$: convert R to DFA D_R ; if $L(D) = L(D_R)$ (by EQ_{DFA}) $\text{A}; \text{O/W}, \boxed{\mathbb{R}}$ "
- $\{\langle D_{\text{DFA}} \rangle \mid L(D) = (L(D))^R\}$: "On $\langle D \rangle$: const. DFA D^R s.t. $L(D^R) = (L(D))^R$; if $L(D) = L(D^R)$ (by EQ_{DFA}) $\text{A}; \text{O/W}, \boxed{\mathbb{R}}$ "

Mapping Reduction (from A to B): $A \leq_m B \iff \exists f : \Sigma^* \rightarrow \Sigma^* : \forall w \in \Sigma^*, w \in A \iff f(w) \in B \text{ and } f \text{ is computable.}$

- $A_{\text{TM}} \leq_m \{\langle M_{\text{TM}} \rangle \mid L(M) = (L(M))^R\}$; $f(\langle M, w \rangle) = \langle M' \rangle$, where $M' = \text{"On } x, \text{ if } x \notin \{01, 10\}, \boxed{\mathbb{R}}$; if $x = 01$, return $M(x)$; if $x = 10$, $\text{A}; "$
- $A_{\text{TM}} \leq_m L = \{\langle M_{\text{DFA}} \rangle \mid L(M) = L(D)\}$; $f(\langle M, w \rangle) = \langle M', D \rangle$, where $M' = \text{"On } x: \text{ if } x = w \text{ return } M(x); \text{ O/W}, \boxed{\mathbb{R}}$; D is DFA s.t. $L(D) = \{w\}$.
- $A \leq_m HALT_{\text{TM}}; f(w) = \langle M, \varepsilon \rangle$, where $M = \text{"On } x: \text{ if } w \in A, \text{ halt; if } w \notin A, \text{ loop;"}$
- $A_{\text{TM}} \leq_m CFL_{\text{TM}} = \{\langle M \rangle \mid L(M) \text{ is CFL}\}$; $f(\langle M, w \rangle) = \langle N \rangle$, where $N = \text{"On } x: \text{ if } x = a^n b^n c^n, \text{ A}; \text{ O/W, return } M(w); "$
- $A \leq_m B = \{0w : w \in A\} \cup \{1w : w \notin A\}$; $f(w) = 0w$.
- $A_{\text{TM}} \leq_m HALT_{\text{TM}}; f(\langle M, w \rangle) = \langle M', w \rangle$, where $M' = \text{"On } x: \text{ if } M(x) \text{ accepts, A. If rejects, loop"}$
- $HALT_{\text{TM}} \leq_m A_{\text{TM}}; f(\langle M, w \rangle) = \langle M', \langle M, w \rangle \rangle$, where

- $M' = \text{"On } \langle X, x \rangle: \text{ if } X(x) \text{ halts, A; "}$
- $E_{\text{TM}} \leq_m USELESS_{\text{TM}}; f(\langle M \rangle) = \langle M, q_A \rangle$
- $E_{\text{TM}} \leq_m EQ_{\text{TM}}; f(\langle M \rangle) = \langle M, M' \rangle, M' = \text{"On } x: \boxed{\mathbb{R}}$
- $A_{\text{TM}} \leq_m REGULAR_{\text{TM}}; f(\langle M, w \rangle) = \langle M' \rangle, M' = \text{"On } x \in \{0, 1\}^*: \text{ if } x = 0^n 1^n, \text{ A; O/W, return } M(w); "$
- $A_{\text{TM}} \leq_m EQ_{\text{TM}}; f(\langle M, w \rangle) = \langle M_1, M_2 \rangle$, where $M_1 = \text{A all"; } M_2 = \text{"On } x: \text{ return } M(w); "$
- $A_{\text{TM}} \leq_m \overline{EQ}_{\text{TM}}; f(\langle M, w \rangle) = \langle M_1, M_2 \rangle$, where $M_1 = \boxed{\mathbb{R}} \text{ all"; } M_2 = \text{"On } x: \text{ return } M(w); "$
- $ALL_{\text{CFG}} \leq_m EQ_{\text{CFG}}; f(\langle G \rangle) = \langle G, H \rangle, \text{ s.t. } L(H) = \Sigma^*$.
- $A_{\text{TM}} \leq_m \{\langle M_{\text{TM}} \rangle : |L(M)| = 1\}; f(\langle M, w \rangle) = \langle M' \rangle$, where $M' = \text{"On } x: \text{ if } x = x_0, \text{ return } M(w); \text{ O/W}, \boxed{\mathbb{R}}$; (where $x_0 \in \Sigma^*$ is fixed).
- $\overline{A_{\text{TM}}} \leq_m E_{\text{TM}}; f(\langle M, w \rangle) = \langle M' \rangle$, where $M' = \text{"On } x: \text{ if } x \neq w, \boxed{\mathbb{R}}; \text{ O/W, return } M(w); "$
- $HALT_{\text{TM}} \leq_m \{\langle M_{\text{TM}} \rangle : |L(M)| \leq 3\}; f(\langle M, w \rangle) = \langle M' \rangle$, where $M' = \text{"On } x: \text{ A if } M(w) \text{ halts"}$

$$\mathbf{P} = \bigcup_{k \in \mathbb{N}} \text{TIME}(n^k) \subseteq \mathbf{NP} = \bigcup_{k \in \mathbb{N}} \text{NTIME}(n^k) = \{L \mid L \text{ is decidable by a PT verifier}\} \supseteq \mathbf{NP}\text{-complete} = \{B \mid B \in \mathbf{NP}, \forall A \in \mathbf{NP}, A \leq_P B\}.$$

- (**verifier for L**) TM V s.t. $L = \{w \mid \exists c : V(\langle w, c \rangle) = \text{A}\}$; (**certificate for $w \in L$**) str. c s.t. $V(\langle w, c \rangle) = \text{A}$.
- $f : \Sigma^* \rightarrow \Sigma^*$ is **PT computable** if there exists a PT TM M s.t. for every $w \in \Sigma^*$, M halts with $f(w)$ on its tape.
- If $A \leq_P B$ and $B \in \mathbf{P}$, then $A \in \mathbf{P}$.
- $A \equiv_P B$ if $A \leq_P B$ and $B \leq_P A$. \equiv_P is an equiv. relation on NP. $\mathbf{P} \setminus \{\emptyset, \Sigma^*\}$ is an equiv. class of \equiv_P .

Polytime Reduction: $A \leq_P B \iff \exists f : \Sigma^* \rightarrow \Sigma^* : \forall w \in \Sigma^*, w \in A \iff f(w) \in B \text{ and } f \text{ is polytime computable.}$

- $SAT \leq_P DOUBLE-SAT; f(\phi) = \phi \wedge (x \vee \neg x)$
- $3SAT \leq_P 4SAT$; $f(\phi) = \phi'$, where ϕ' is obtained from the CNF ϕ by adding a new var. x to each clause, and adding a new clause $(\neg x \vee \neg x \vee \neg x \vee \neg x)$.
- $3SAT \leq_P CNF_3$; $f(\langle \phi \rangle) = \phi'$. If $\#_\phi(x) = k > 3$, replace x with x_1, \dots, x_k , and add $(\overline{x}_1 \vee x_2) \wedge \dots \wedge (\overline{x}_k \vee x_1)$.
- $SUBSET-SUM \leq_P SET-PARTITION$; $f(\langle x_1, \dots, x_m, t \rangle) = \langle x_1, \dots, x_m, S - 2t \rangle$, where S sum of x_1, \dots, x_m , and t is the target subset-sum.
- $3COLOR \leq_P 3COLOR$; $f(\langle G \rangle) = \langle G' \rangle$, $G' = G \cup K_4$
- $COVER_k \leq_P WVC$; $f(\langle G, k \rangle) = (G, w, k)$, $\forall v \in V, w(v) = 1$
- (dir.) $HAM-PATH \leq_P 2HAM-PATH$; $f(\langle G, s, t \rangle) = \langle G', s', t' \rangle$, $V' = V \cup \{s', t', a, b, c, d\}$, $E' = E \cup \{(s', a), (a, b), (b, s)\} \cup \{(s', b), (b, a), (a, s)\} \cup \{(t, c), (c, d), (d, t')\} \cup \{(t, d), (d, c), (c, t')\}$

- (undir.) $CLIQUE_k \leq_P HALF-CLIQUE$, $\frac{|V|}{2}$ -clique
- $RELPRIME, PATH_s \xrightarrow{directed} P$
- $CNF_2 \in \mathbf{P}$: (**algo.**) $\forall x \in \phi$: (1) If x occurs 1-2 times in same clause \rightarrow remove cl.; (2) If x is twice in 2 cl. \rightarrow remove both cl.; (3) Similar to (2) for \overline{x} ; (4) Replace any $(x \vee y), (\neg x \vee z)$ with $(y \vee z)$; (y, z may be ε); (5) If $(x) \wedge (\neg x)$ found, $\boxed{\mathbb{R}}$. (6) If $\phi = \varepsilon$, $\text{A};$
- $HAM-PATH \leq_P HAM-CYCLE$; $f(\langle G, s, t \rangle) = \langle G', s, t \rangle$, $s \rightsquigarrow t$
- $HAM-CYCLE \leq_P UHAMCYCLE$; $f(\langle G \rangle) = \langle G' \rangle$. For each $u, v \in V$: u is replaced by u_{in}, u_{mid}, u_{out} ; (v, u) replaced by $\{v_{out}, u_{in}\}, \{u_{in}, u_{mid}\}$; and (u, v) by $\{u_{out}, v_{in}\}, \{u_{mid}, u_{out}\}$.
- $UHAMPATH \leq_P PATH_{\geq k}$; $f(\langle G, a, b \rangle) = \langle G, a, b, k = |V| - 1 \rangle$
- $COVER \leq_P CLIQUE$; $f(\langle G, k \rangle) = \langle G^L = (V, E^L), |V| - k \rangle$
- $CLIQUE_k \leq_P \{\langle G, t \rangle : G \text{ has 2t-clique}\}$; $f(\langle G, k \rangle) = \langle G', t = \lceil k/2 \rceil \rangle$, $G' = G$ if k is even;
- $CLIQUE_k \leq_P CLIQUE_k$; $f(\langle G, k \rangle) = \langle G', k + 2 \rangle$, $G' = G \cup \{v_{n+1}, v_{n+2}\}$; v_{n+1}, v_{n+2} are con. to all V
- $COVER_k \leq_P DOMINATING-SET_k$; $f(\langle G, k \rangle) = \langle G', k \rangle$, where $V' = \{\text{non-isolated nodes in } V\} \cup \{v_e : e \in E\}$, $E' = E \cup \{(v_e, u), (v_e, w) : e = (u, w) \in E\}$.
- $CLIQUE \leq_P INDEP-SET$; $f(\langle G, k \rangle) = \langle G^L = (V, E^L), |V| - k \rangle$
- $COVER \leq_P COVER = \{\exists C \subseteq \mathcal{S}, |\mathcal{C}| \leq k, \bigcup_{A \in \mathcal{C}} A = \mathcal{U}\}$; $f(\langle G, k \rangle) = \langle \mathcal{U} = E, \mathcal{S} = \{S_1, \dots, S_n\}, k \rangle$, where $n = |V|$, $S_u = \{\text{edges incident to } u \in V\}$.
- $INDEP-SET \leq_P COVER$; $f(\langle G, k \rangle) = \langle G, |V| - k \rangle$
- $COVER \leq_P INDEP-SET$; $f(\langle G, k \rangle) = \langle G, |V| - k \rangle$

Examples

- $L_1, L_2 \in \text{REGULAR}$, $L_1 \not\subset L_2$, $L_2 \not\subset L_1$, but, $(L_1 \cup L_2)^* = L_1^* \cup L_2^* : L_1 = \{a, b, ab\}, L_2 = \{a, b, ba\}$.
- $L_1, L_1 \cup L_2 \in \text{REGULAR}$, $L_2, L_1 \cap L_2 \notin \text{REGULAR}$, $L_1 = L(a^*b^*)$, $L_2 = \{a^n b^n \mid n \geq 0\}$.
- $L_1, L_2, \dots \in \text{REGULAR}$, $\bigcup_{i=1}^{\infty} L_i \notin \text{REGULAR}$: $L_i = \{a^i b^i\}$, $\bigcup_{i=1}^{\infty} L_i = \{a^n b^n \mid n \geq 0\}$.
- $L_1 \cdot L_2 \in \text{REGULAR}$, $L_1 \notin \text{Reg.}$: $L_1 = \{a^n b^n\}$, $L_2 = \Sigma^*$
- $L_2 \in \text{CFL}$, and $L_1 \subseteq L_2$, but $L_1 \notin \text{CFL}$: $\Sigma = \{a, b, c\}$, $L_1 = \{a^n b^n c^n \mid n \geq 0\}$, $L_2 = \Sigma^*$.
- $L_1, L_2 \in \text{TD}$, and $L_1 \subseteq L_2 \subseteq L_2$, but $L \notin \text{TD}$: $L_1 = \emptyset$, $L_2 = \Sigma^*$, L is some undecidable language over Σ .
- $L_1 \in \text{REGULAR}$, $L_2 \notin \text{CFL}$, but $L_1 \cap L_2 \in \text{CFL}$: $L_1 = \{\varepsilon\}$, $L_2 = \{a^n b^n c^n \mid n \geq 0\}$.
- $L^* \in \text{REGULAR}$, but $L \notin \text{REGULAR}$: $L = \{a^p \mid p \text{ is prime}\}$, $L^* = \Sigma^* \setminus \{a\}$.
- $A \not\leq_m \overline{A}$: $A = A_{\text{TM}} \in \text{TR}$, $\overline{A} = \overline{A_{\text{TM}}} \notin \text{TR}$
- $A \notin \text{DEC.}$, $A \leq_m \overline{A}$: $f(0x) = 1x, f(1y) = 0y$, $A = \{w \mid \exists x \in A_{\text{TM}} : w = 0x \vee \exists y \in \overline{A_{\text{TM}}} : w = 1y\}$
- $L \in \text{CFL}$, $L \cap \overline{L} \notin \text{CFL}$: $L = \{a^n b^n a^m\}$.
- $A \leq_m B, B \not\leq_m A : A = \{a\}, B = HALT_{\text{TM}}$, $f(w) = \langle M \rangle$, $M = \text{"On } x, \text{ if } w \in A, \text{ A}; \text{ O/W, loop"}$